

**To:** Arias, Jack[Arias.Jack@epa.gov]; Loesel, Matthew[loesel.matthew@epa.gov]  
**From:** Smith, Monica  
**Sent:** Sun 8/16/2015 1:16:56 PM  
**Subject:** Fwd: GKM -R06 - Preliminary Water  
GKM\_R06\_2015\_08\_15\_Water\_Preliminary.xlsx  
ATT00001.htm

Sent from my iPhone


Begin forwarded message:

**From:** "Fuller, Kris" <Kris.Fuller@WestonSolutions.com>  
**Date:** August 15, 2015 at 5:53:03 PM CDT  
**To:** Althea Foster <foster.althea@epa.gov>, "Rauscher.jon@Epa.gov"  
<Rauscher.jon@Epa.gov>, "smith.monica@epa.gov" <smith.monica@epa.gov>,  
"Bhattacharya, Dipanjana" <Bhattacharya.Dipanjana@epa.gov>  
**Subject:** FW: GKM -R06 - Preliminary Water

Prelims Surface Water and Ground Water 081115-081215

I am adding the locationID, latitude, and longitude to the sheet as well as highlighting exceedances, will send an update later. I want to get this to you ASAP.

**From:** "Walzer, Thomas" <T.A.Walzer@WestonSolutions.com>  
**Date:** Saturday, August 15, 2015 at 5:42 PM  
**To:** "Locurcio, Daniel" <Daniel.Locurcio@WestonSolutions.com>, Kris Fuller  
<Kris.Fuller@westonsolutions.com>  
**Subject:** GKM -R06 - Preliminary Water



***Thomas Walzer***

Principal Project Scientist

**Weston Solutions, Inc.**

*an employee-owned company*

5599 San Felipe, Suite 700

Houston, Texas 77056

(713) 985.6741 Direct

(713) 705.1467 Cell

(713) 985.6703 Fax

[t.a.walzer@westonsolutions.com](mailto:t.a.walzer@westonsolutions.com)

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.